Date Posted: April 18, 2022

Time Posted: 3:15 P.M.

Posted By: Bri Knieriem

Posted at MMA Door: <u>Jake</u>

Posted outside Meeting Room: BJK

Posted at Entrance of building:

Posted on MMA Portal:

Meyersdale Community Center 215 Main St. Meyersdale, PA 15552 7:00 P.M.

## April 19, 2022 Revised Meeting Agenda

| Open @      | Don Anderson Karen Gnagey Sandy Miller   |
|-------------|--|
|             | Pat Murray Brian Witherite   |
| Executive S | Session as advertised: Gnagey litigation Koscianski (Woodlawn Ave) D&M Litigation Rules and Regulations with respect to Litigation |
| Open to Pul | blic Comment: Bob and Mary Snyder, Krause's Trailer Court.<br>Doug Koscianski  |
| Old Busine  | ss: March Workshop, Special Meeting and Regular Meeting Minutes<br>Employee Handbook   |
| New Busin   | ess: Bills Paid Report   |
|             | MMA employees assisting Meyersdale employees when needed Aging Report/Shutoffs   |
|             | LIHWAP Approval  |
|             | New Employee Retirement Plan Set up Cement Saw for the Field Employees   |
|             | Broadway Street Project  |
|             | Corrective Action Plan (CAP)   |
|             | Roof Replacement for the Water Plant   |
|             | Filter Bed Evaluation (Brad)   |
|             | Filter to waste on Startup (Brad)  |
|             | Consumer Confidence Report, Due July 1st (Brad)  |
|             | Tank Cleaning, Blue Tank, Fike Hollow Tank, and Clearwell. (Brad)  |
|             | Sensor Replacement (Brad)  |

Posted at MMA Door: 674 Date Posted: April 18, 2022 Posted outside Meeting Room: 15TK Time Posted: 3:15 P.M. Posted at Entrance of building: BTK Posted By: Bri Knieriem Posted on MMA Portal: **Meyersdale Community Center** 215 Main St. Meyersdale, PA 15552 7:00 P.M. Water Report: Sewer Report: Engineer Report: Solicitor Report: A motion was made to adjourn the meeting at \_\_\_\_\_ By \_\_\_\_\_\_, 2<sup>nd</sup> by \_\_\_

and duly passed.